REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1. REPORT DATE *(DD-MM-YYYY)*	**2. REPORT TYPE**	**3. DATES COVERED** *(From - To)*
22-04-2005	Briefing Charts	

4. TITLE AND SUBTITLE

Structural Isomers of bis(pentazolyl)iron(II): A Theoretical Study

5a. CONTRACT NUMBER

5b. GRANT NUMBER

5c. PROGRAM ELEMENT NUMBER

6. AUTHOR(S)
Jerry A. Boatz (AFRL/PRSP); Karl Christe (Loker Hydrocarbon Research Institute, USC); Ashwani Vij (AFRL/PRSP)

5d. PROJECT NUMBER
2303

5e. TASK NUMBER
0423

5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Air Force Research Laboratory (AFMC)
AFRL/PRSP
10 E. Saturn Blvd.
Edwards AFB CA 93524-7680

8. PERFORMING ORGANIZATION REPORT NUMBER

AFRL-PR-ED-VG-2005-136

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

Air Force Research Laboratory (AFMC)
AFRL/PRS
5 Pollux Drive
Edwards AFB CA 93524-7048

10. SPONSOR/MONITOR'S ACRONYM(S)

11. SPONSOR/MONITOR'S NUMBER(S)
AFRL-PR-ED-VG-2005-136

12. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for public release; distribution unlimited

13. SUPPLEMENTARY NOTES
Presented at the AFOSR Molecular Dynamics Contractors Conference, Monterey, CA, 22-24 May 2005; and DoD Users Group Conference, Nashville, TN, 27-30 Jun 2005.

14. ABSTRACT

The High Energy Density Materials (HEDM) Program objectives are: Identifying and developing advanced chemical propellants for rocket propulsion applications; specific impulse (Isp) is the major metric of a propellant's performance; density can also be a significant contributor.

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:			**17. LIMITATION OF ABSTRACT**	**18. NUMBER OF PAGES**	**19a. NAME OF RESPONSIBLE PERSON**
					Dr. Jerry A. Boatz
a. REPORT	**b. ABSTRACT**	**c. THIS PAGE**	A	27	**19b. TELEPHONE NUMBER** *(include area code)*
Unclassified	**Unclassified**	**Unclassified**			(661) 275-5364

Structural Isomers of bis(pentazolyl)iron(II): A Theoretical Study

AFOSR Molecular Dynamics Contractors Conference
May 22-24, 2005

Dr. Jerry A. Boatz
Senior Research Chemist
Propellants Branch
Air Force Research Laboratory
jerry.boatz@edwards.af.mil
(661) 275-5364

This briefing contains information up to:

Isomers of bis(pentazolyl)iron(II)

Karl Christe[a,b] and Ashwani Vij[a]

[a] Air Force Research Laboratory

Space and Missile Propulsion Division, AFRL/PRSP

10 East Saturn Blvd.

Edwards AFB, CA 93524

and

[b] Loker Hydrocarbon Research Institute

University of Southern California

Los Angeles, CA 90089

HEDM Program Objective



Breaking the performance barrier

Identifying and developing advanced chemical propellants for rocket propulsion applications

- **Isp is the major metric of a propellant's performance**
- **Density can also be a significant contributor**

Why We Are Doing It



Propellants Program General Approach

Employ a synergic blend of experimental (synthesis and physical) and computational techniques derived from the disciplines of chemistry and physics



Polynitrogen Project

Discover, synthesize, characterize, and scale-up novel, highly energetic polynitrogen allotropes

Modeling and simulation guides the experimental program:

- **Determines which molecules should exist and how energetic they are**
- **Gives information on how to synthesize promising molecules**
- **Provides critical data for identification and characterization of new molecules**





Performance of Polynitrogen Monopropellants

The performance of polynitrogens as monopropellants would dwarf that of hydrazine, and would greatly exceed even bipropellants



The Search for New Polynitrogens

- All polynitrogens are unstable with respect to N_2 molecules
- Their activation energy for N_2 elimination is largely determined by the weakest bond in the compound
- Their metastability is enhanced if suitable resonance structures exist:



- The double-bond character of the N—N bonds in the azide anion explains its exceptional stability
- How can this stabilization effect be used to our advantage in preparing new compounds?

Pentazolate (N_5^-)?

- Substituted pentazoles R-N_5 have been known for decades (R=aryl)
- Cyclic N_5^- is aromatic
- Conversion of the diazonium salt, RN_2^+, to the substituted pentazole ring R-N_5 by the reaction with azide ion, N_3^-, has been demonstrated many years ago by Ugi and Huisgen.
- N_5^- has been recently detected in the gas phase for the first time, using collisional fragmentation (electrospray ion mass spectroscopy).
- Can a chemical route to N_5^- be found?

New Polynitrogen Anions



Pentazole anion (N_5^-)

- *Theoretical calculations show that this anion has a 28 kcal/mole activation energy barrier for decomposition and its decomposition to N_3^- and N_2 is only 11 kcal/mol exothermic*
- *Aryl substituted pentazoles can be isolated as stable compounds only if stored at low temperatures. In methanol, these compounds rapidly decompose at room temperature to form aryl azides and N_2 gas*



Transition Metal Complexes of $[N_5]^-$?

$[N_5]^-$ is isoelectronic with cylcopentadienyl anion $[C_5H_5]^-$ (cp)

cp ligands readily bind to many transition & main group metals to form "sandwich" complexes

Ferrocene (cp-Fe-cp) – first observed in 1951 (T.J. Kealy, P.L. Pauson *Nature*, **168**, 1039(1951); S.A. Miller, J.A. Tebboth, J.F. Tremaine *J. Chem. Soc*. 632 (1952).)

Chemistry of metallocenes has been thoroughly studied

Insights into possible reaction pathways for isoelectronic N_5-TM-N_5 compounds?

$[N_5]^-$ versus $[C_5H_5]^-$



$[N_5]^-$ is isoelectronic with aromatic cylcopentadienyl anion $[C_5H_5]^-$

cp ligands can coordinate to metal center via π electrons only (η^5)

$[N_5]^-$ can, in principle, coordinate via π electrons or σ lone pairs

π coordination: η^5

σ coordination: η^1 or η^2

Quantum Chemical calculations of N_5-Fe-N_5

Determine possible bonding modes and their relative energies

η^5-Fe-η^5 

η^2-Fe-η^5 

η^2-Fe-η^2 

η^1-Fe-η^5 

η^1-Fe-η^1 

η^1-Fe-η^2 

Determine possible spin states and their relative energies

Singlet, triplet, quintet electronic states.

Quantum Chemical calculations of N_5-Fe-N_5

Results of initial, modest-level calculations (B3LYP/SBK+(d) and MP2/SBK+(d))
Singlet electronic states, relative energies in kcal/mol

	B3LYP	MP2
η^5-η^5	21.5 (D_{5d})	3.6 (D_{5h})
η^2-η^2	10.1 (D_{2d})	10.0(D_{2d})
	4.6 (D_{2h})	0.5(D_{2h})
	0.0 (C_2)	**0.0 (C_2)**
η^1-η^1	9.2 (C_{2v})	n/a
η^1-η^2	n/a	5.8 (C_s)
η^1-η^5	n/a	n/a
η^2-η^5	13.2 (C_s)	9.5 (C_s)

Quantum Chemical calculations of N_5-Fe-N_5

η^5-η^5



B3LYP

21.5 (D_{5d})



MP2

3.6 (D_{5h})

η^2-η^2



B3LYP

10.1 (D_{2d})

MP2

10.0 (D_{2d})

η^1-η^1



B3LYP

9.2 (C_{2v})

η^1-η^2



MP2

5.8 (C_s)



B3LYP

4.6 (D_{2h})

MP2

0.5(D_{2h})

η^2-η^5



B3LYP

13.2 (C_s)

MP2

9.5 (C_s)



B3LYP

0.0 (C_2)

MP2

0.0 (C_2)

Quantum Chemical calculations of N_5-Fe-N_5

B3LYP, triplet electronic states, relative energies in kcal/mol

η^2-η^2



9.4 (D_{2d})



-29.3 (D_{2h})
-31.2 (D_{2h})

η^1-η^1



-8.7(C_{2v})



-12.9 (D_{2h})

η^2-η^5



-7.1 (C_1)

η^1-η^2



-12.1 (C_s)

Total (au) and Relative (kcal/mol) Energies of N5-Fe-N5 stationary points

	B3LYP(5)	MP2	CCSD(T)//MP2	T1
η5-η5				
D5h	-221.897766[1](21.5)	-220.722672[0](3.6)	-220.817543(12.2)	0.0435
D5d	.897778[0](21.5)	.721345[1](4.4)	-220.818049(11.9)	0.0432
η2-η2				
D2h	-221.914555[1](10.9)	-220.711445[1](10.6)	-220.833418(2.2)	0.0253
C2h	.924379[1](4.8)	.721884[1](4.1)	n/a	n/a
D2h*	.924679[0](4.6)	.727578[0](0.5)	-220.831820(3.2)	0.0218
D2d	.915901[0](10.1)	.712431[0](10.0)	.833717(2.0)	0.0254
C2	.931975[0](0.0)	.728409[0](0.0)	.836247(0.4)	0.0296
D2d(triplet)	.916963[0](9.4)			
D2h(triplet)	.978715[0](-29.3)			
D2h*(triplet)	.981686[0](-31.2)			
η1-η1				
D2h	-221.869702[2](39.1)	-220.676205[2](32.8)	-220.788778(30.2)	0.0277
D2h*	.906936[1](15.7)	.701173[1](17.1)	-220.812963(15.1)	0.0257
D2h**	.896858[2](22.0)	.707632[1](13.0)	-220.809089(17.5)	0.0188
D2d	.847741[2](52.9)	.643839[2](53.1)	-220.789710(29.7)	0.0228
C2v	.917363[0](9.2)	.711637[1](10.5)	-220.817459(12.2)	0.0246
Cs	n/a	.692082[1](22.8)	n/a	n/a
D2h(triplet)	.952592[0](-12.9)			
c2V(triplet)	.945762[0](-8.7)			

Total (au) and Relative (kcal/mol) Energies of N5-Fe-N5 stationary points

	B3LYP(5)	MP2	CCSD(T)//MP2	T1
η1-η2				
C2v	-221.898673[2](20.9)	-220.702113[2](16.5)	-220.807136(18.7)	0.0223
C2v'	.914327[1](11.1)	.713738[1](9.2)	-220.820661(10.2)	0.0230
Cs	.919090[1](8.1)	.719127[0](5.8)	-220.823692(8.3)	0.0236
Cs(triplet)	.951282[0](-12.1)			
η1-η5				
Cs	n/a	-220.688408[1](25.1)	-220.801039(22.5)	0.0402
η2-η5				
Cs	-221.910857[1](13.3)	-220.713209[0](9.5)	-220.836962(0.0)	0.0451
Cs‘	.910869[0](13.2)			
C1(triplet)	.943231[0](-7.1)			

Occupation Restricted Multiple Active Space (ORMAS)

ORMAS: flexible CAS method for reducing size of full CI step, similar to generalized CASSCF.

Active space is product of three sub-spaces:

(6e,5o) $[N_5]^-$ π+ π* (left)

(6e,6o) $[Fe]^{2+}$ 3d+4s (middle)

(6e,5o) $[N_5]$- π+ π* (right)

SBK+(d) effective core potential and valence-only basis set used throughout.

ORMAS Results

C_{2v}

η^1-η^2 ($^5A_1$)



-219.351299

(0.0 kcal/mol)

Natural Orbital Occupation Numbers

N_5 (left)	Fe	N_5 (right)
π 1.983	3d 1.993	π 1.976
π 1.938	3d 1.000	π 1.935
π 1.916	3d 1.000	π 1.930
π* 0.086	3d 1.000	π* 0.083
π* 0.077	3d 1.000	π* 0.077
	4s 0.007	

ORMAS Results

C_{2v}

η^2-η^2 ($^7A_1$)



-219.182241

(+106 kcal/mol)

Natural Orbital Occupation Numbers

N_5 (left)	Fe	N_5 (right)
π 1.976	3d 1.989	π 1.996
π 1.936	3d 1.000	π 1.855
π 1.931	3d 1.000	π 1.027
π* 0.082	3d 1.000	π* 0.974
π* 0.076	3d 1.000	π* 0.148
	4s 0.011	

ORMAS Results

D_{2h}

η^2-η^2 ($^3B_{2g}$)



-219.260755

(+57 kcal/mol)

Natural Orbital Occupation Numbers

N_5 (left)	Fe	N_5 (right)
π 1.977	3d 1.963	π 1.977
π 1.935	3d 1.931	π 1.935
π 1.930	3d 1.035	π 1.930
π* 0.082	3d 0.982	π* 0.082
π* 0.077	3d 0.084	π* 0.077
	4s 0.006	

ORMAS Results

C_s

η^5-η^5 (^{3}A")



-219.163546

(+118 kcal/mol)

Natural Orbital Occupation Numbers

N_5 (left)	Fe	N_5 (right)
π 1.972	3d 1.972	π 1.972
π 1.951	3d 1.900	π 1.951
π 1.949	3d 1.024	π 1.949
π* 0.066	3d 0.985	π* 0.066
π* 0.064	3d 0.114	π* 0.064
	4s 0.005	

ORMAS Results

C_s

η^5-η^5 (^{1}A')



-219.127764(?)

(+140 kcal/mol)

Natural Orbital Occupation Numbers

N_5 (left)	Fe	N_5 (right)
π 1.972	3d 1.996	π 1.972
π 1.945	3d 1.834	π 1.945
π 1.945	3d 1.824	π 1.945
π* 0.070	3d 0.171	π* 0.070
π* 0.068	3d 0.171	π* 0.068
	4s 0.004	

Conclusions

- At the B3LYP and MP2 levels of theory, there are six distinct stable singlet structures. The most stable structure is a twisted η^2-η^2 isomer with C_2 symmetry.

- At the B3LYP level, there are seven distinct stable triplet structures. The most stable structure is a planar η^2-η^2 isomer with D_{2h} symmetry.

- At the B3LYP level, all but one of triplet minima are more stable than the lowest energy singlet structure. The most stable triplet is a planar η^2-η^2 isomer with D_{2h} symmetry.

- ORMAS results indicate significant multiconfigurational character in N_5-Fe-N_5 complexes – B3LYP and MP2 results may not be reliable.

Acknowledgements

DARPA, AFOSR, AFRL

DoD HPC Modernization Program

New Materials Design Challenge Project

Aeronautical System Center

AFFTC Distributed Center

Arctic Region Supercomputing Center

Common HPC Software Support Initiative